

MOISTURE RESISTANT MEDIA FOR HIGH HUMIDITY APPLICATIONS

DESIGNED FOR USE IN VARIABLE AIR VOLUME SYSTEMS


REPLACES TRADITIONAL POCKET-STYLE FILTERS

GALVANIZED METAL FRAME (HEADER) PROVIDES STRENGTH AND RIGIDITY TO THIS PRODUCT

AVAILABLE FRAME STYLES INCLUDE BOX, SINGLE HEADER, DOUBLE HEADER

AVAILABLE IN MERV 11-14


AVAILABLE IN 6" AND 12" DEPTHS UNDERWRITERS LABORATORIES CLASSIFIED TO UL 900




## APPLICATIONS

Commercial HVAC systems typically found in office buildings and facilities such as malls, schools, universities, sports arenas

### FILTER PERFORMANCE 24 X 24 X 12



### MINIMUM REMOVAL EFFICIENCY 24 X 24 X 12



### FILTER PERFORMANCE DATA 24 X 24 X 6

MERV	250 FPM	375 FPM	500 FPM	625 FPM	FINAL RESISTANCE
11	0.29	0.5	-	-	1.5
13	0.38	0.59	-	-	1.5
14	0.49	0.7	-	-	1.5

### FILTER PERFORMANCE DATA 24 X 24 X 12

MERV	250 FPM	375 FPM	500 FPM	625 FPM	FINAL RESISTANCE
11	0.18	0.27	0.48	0.6	1.5
13	0.23	0.37	0.55	0.7	1.5
14	0.27	0.42	0.65	0.8	1.5